

Part III of III

JOURNAL OF PALEONTOLOGY

**THE PALEONTOLOGICAL SOCIETY
MEMOIR 37**

Shale-facies Microfossils
from the Proterozoic Bylot Supergroup,
Baffin Island, Canada

H. J. HOFMANN AND G. D. JACKSON



Memoirs of The Paleontological Society are occasional publications consisting of monographs and symposia that are too extensive for publication in the *Journal of Paleontology* as part of the regular issues. Ordinarily, memoirs are published as supplements to a regular issue of the *Journal*. Inquiries concerning submittal of manuscripts for inclusion in the Memoir Series may be made to the Managing Editor of the *Journal of Paleontology*.

For information on cost and availability of back numbers of the Memoir Series, please contact: SEPM Business Office, P.O. Box 4756, Tulsa, OK 74159, for numbers 1 (1968) through 16 (1985) or *Journal of Paleontology*, P.O. Box 1897, Lawrence, KS 66044-8897, for number 17 (1986) and following.

OFFICERS OF THE SOCIETY

For the year ending November, 1994

President

STEVEN M. STANLEY, Baltimore, MD

President-Elect

CRAIG G. BLACK, Los Angeles, CA

Past-President

RODNEY M. FELDMANN, Kent, OH

Secretary

DONALD L. WOLBERG
P.O. Box 803
Socorro, NM 87801

Treasurer

JOHNNY A. WATERS
Dept. of Geology
West Georgia College
Carrollton, GA 30118

Program Coordinator

PETER M. SHEEHAN, Milwaukee, WI

Managing Editor

DON C. STEINKER, Bowling Green, OH

Technical Editors

RICHARD D. HOARE, Bowling Green, OH
DAVID K. ELLIOTT, Flagstaff, AZ
PATRICIA H. KELLEY, Grand Forks, ND
DANIEL B. BLAKE, Urbana, IL
ELLEN COMPTON-GOODING, Martinsville, VA
CARL W. STOCK, Tuscaloosa, AL
MICHAEL R. SANDY, Dayton, OH
DONALD R. PROTHERO, Los Angeles, CA

Paleobiology Co-Editors

DAVID L. MEYER and ARNOLD I. MILLER
Cincinnati, OH

Special Publications Co-Editors

R. S. SPENCER and C. F. KOCH
Norfolk, VA

Councilors

DANA H. GEARY, Madison, WI
FRANK M. MCKINNEY, Boone, NC

Section Chairpersons

North-Central: DANITA S. BRANDT
East Lansing, MI
Northeastern: CONSTANCE M. SOJA
Northampton, MA
Pacific Coast: SANDRA J. CARLSON
Davis, CA
Rocky Mountain: EMMETT EVANOFF
Boulder, CO
Southeastern: DOUGLAS S. JONES
Gainesville, FL
South-Central: ARTHUR B. BUSBEY III
Fort Worth, TX

The Paleontological Society

MEMOIR 37

**SHALE-FACIES MICROFOSSILS
FROM THE PROTEROZOIC BYLOT SUPERGROUP,
BAFFIN ISLAND, CANADA**

H. J. HOFMANN AND G. D. JACKSON

Department of Geology, University of Montreal, Box 6128, Station A, Montreal, Quebec H3C 3J7, Canada and
Geological Survey of Canada, 601 Booth Street, Ottawa, Ontario K1A 0E8, Canada

Copyright © 1994 *by*
THE PALEONTOLOGICAL SOCIETY, INC.
JULY 1994

CONTENTS

ABSTRACT	1	<i>Leiosphaeridia minutissima</i> (Naumova, 1949) emend. Yankauskas <i>in</i> Yankauskas et al., 1989	21
INTRODUCTION	1	<i>Leiosphaeridia tenuissima</i> Eisenack, 1958	22
REGIONAL GEOLOGY	1	<i>Leiosphaeridia crassa</i> (Naumova, 1949) emend. Yankauskas <i>in</i> Yankauskas et al., 1989	22
METHOD OF STUDY	3	<i>Leiosphaeridia jacutica</i> (Timofeev, 1966) emend. Mikhaylova and Yankauskas <i>in</i> Yankauskas et al., 1989	22
RESULTS AND DISCUSSION	5	<i>Leiosphaeridia ternata</i> (Timofeev, 1966) emend. Mikhaylova and Yankauskas <i>in</i> Yankauskas et al., 1989	22
STRATIGRAPHIC DISTRIBUTION	5	GENUS <i>Lophosphaeridium</i> Timofeev, 1959, ex Downie, 1963	22
PALEOENVIRONMENTS	5	<i>Lophosphaeridium granulatum</i> Maithy, 1975	22
TAXONOMIC DISTRIBUTION	7	GENUS <i>Valeria</i> Yankauskas, 1982	24
BIOSTRATIGRAPHY	7	<i>Valeria lophostriata</i> (Yankauskas, 1979b)	24
SYSTEMATIC PALEONTOLOGY	9	GENUS <i>Pterospermopsimorpha</i> Timofeev, 1966, emend. Mikhaylova and Yankauskas <i>in</i> Yankauskas et al., 1989	24
GROUP Cryptarcha Diver and Peat, 1979	10	<i>Pterospermopsimorpha insolita</i> Timofeev, 1969, emend. Mikhaylova <i>in</i> Yankauskas et al., 1989	24
SUBGROUP Nematomorphitae Diver and Peat, 1979	10	SUBGROUP Synaplomorphitae Diver and Peat, 1979	24
GENUS <i>Siphonophycus</i> Schopf, 1968, emend. Knoll, Swett, and Mark, 1991	10	GENUS <i>Eomicrocystis</i> Golovenok and Belova, 1984	24
<i>Siphonophycus septatum</i> (Schopf, 1968)	10	<i>Eomicrocystis elegans</i> Golovenok and Belova, 1984	24
<i>Siphonophycus robustum</i> (Schopf, 1968)	10	<i>Eomicrocystis malgica</i> Golovenok and Belova, 1986	25
<i>Siphonophycus rugosum</i> (Maithy, 1975) n. comb.	10	GENUS <i>Symplassosphaeridium</i> Timofeev, 1959, ex Timofeev, 1969	25
<i>Siphonophycus kestron</i> Schopf, 1968	12	<i>Symplassosphaeridium</i> spp.	25
<i>Siphonophycus capitaneum</i> Nyberg and Schopf, 1984 ..	12	GENUS <i>Synsphaeridium</i> Eisenack, 1965	25
GENUS <i>Pellicularia</i> Yankauskas, 1980b	12	<i>Synsphaeridium</i> spp.	25
<i>Pellicularia tenera</i> Yankauskas, 1980b	12	GENUS <i>Satka</i> Yankauskas, 1979b	28
GENUS <i>Polythrighoides</i> German, 1974, emend. Timofeev et al., 1976	12	<i>Satka squamifera</i> Pyatiletov, 1980c	28
<i>Polythrighoides lineatus</i> German, 1974, emend. Knoll et al., 1991	12	<i>Satka</i> spp.	28
GENUS <i>Obruchevella</i> Reitlinger, 1948	13	GENUS <i>Coneosphaera</i> Luo, 1991	28
<i>Obruchevella valdaica</i> (Shepeleva ex Aseeva, 1974)	13	<i>Coneosphaera arctica</i> Hofmann n. sp.	28
GENUS <i>Karamia</i> Kolosov, 1984	15	<i>Coneosphaera</i> sp.	30
<i>Karamia?</i> sp.	15	GENUS <i>Spumosina</i> Naumova, 1968, emend. Yankauskas and Medvedeva <i>in</i> Yankauskas et al., 1989	30
Opaque filaments	15	<i>Spumosina rubiginosa</i> (Andreeva, 1966)	30
GENUS <i>Oscillatoriopsis</i> Schopf, 1968	15	GENUS <i>Fabiformis</i> Pyatiletov, 1988	31
<i>Oscillatoriopsis</i> spp.	15	<i>Fabiformis baffinensis</i> Hofmann n. sp.	31
GENUS <i>Palaeolyngbya</i> Schopf, 1968	17	OTHER REMAINS	31
<i>Palaeolyngbya</i> sp.	17	GENUS <i>Palaeocalothrix</i> German, 1981a	31
GENUS <i>Nostocomorpha</i> Xing and Liu, 1978	17	<i>Palaeocalothrix divaricatus</i> German, 1981a	31
<i>Nostocomorpha</i> sp.	17	ACKNOWLEDGMENTS	31
GENUS <i>Arctacellularia</i> German <i>in</i> Timofeev et al., 1976 ..	17	REFERENCES	31
<i>Arctacellularia tetragonal</i> (Maithy, 1975) n. comb. emend.	18	APPENDIX	31
<i>Arctacellularia ellipsoidea</i> German <i>in</i> Timofeev et al., 1976	18	1—Locality and microfossil data for samples from Bylot Supergroup	36
GENUS <i>Chlorogloeopsis</i> Maithy, 1975, emend., nom. corr.	18		
<i>Chlorogloeopsis contexta</i> (German, 1976) n. comb.	19	ILLUSTRATIONS	
<i>Chlorogloeopsis kanshiensis</i> (Maithy, 1975) n. comb.	20	FIGURES	
SUBGROUP Netromorphitae Downie, Evitt, and Sarjeant, 1963	20	1—General geologic map of Borden Basin, with sample localities	2
GENUS <i>Navifusa</i> Combaz, Lange, and Pansant, 1967	20	2—General stratigraphic section of Bylot Supergroup, with sample localities	4
<i>Navifusa bacillaris</i> (German, 1981b) n. comb.	20		
<i>Navifusa majensis</i> Pyatiletov, 1980a	20		
<i>Navifusa actinomorpha</i> (Maithy, 1975) emend., n. comb.	20		
SUBGROUP Sphaeromorphitae Downie, Evitt, and Sarjeant, 1963	21		
GENUS <i>Leiosphaeridia</i> Eisenack, 1958, emend. Downie and Sarjeant, 1963, emend. Turner, 1984	21		

ILLUSTRATIONS

FIGURES

1—General geologic map of Borden Basin, with sample localities	2
2—General stratigraphic section of Bylot Supergroup, with sample localities	4

3—Geographic distribution of fossiliferous and barren samples by stratigraphic unit	6	14—Size distribution of <i>Navifusa</i>	20
4—Synopsis of Bylot Supergroup microbiota	8	15— <i>Navifusa majensis</i> ; <i>Navifusa actinomorpha</i> ; <i>Leiosphaeridia minutissima</i> ; <i>Leiosphaeridia crassa</i>	23
5—Abundance of taxa	10	16—Size-frequency histogram of sphaeromorphs assigned to <i>Leiosphaeridia</i>	24
6—Regional variations of selected taxa	11	17— <i>Leiosphaeridia jacutica</i> ; <i>Leiosphaeridia ternata</i> ; <i>Lophosphaeridium granulatum</i> ; <i>Pterospermopsimorpha insolita</i> ; <i>Valeria lophostriata</i>	26
7—Dendrograms comparing microfossil assemblages from different stratigraphic units	12	18— <i>Eomicrocystis elegans</i> ; <i>Eomicrocystis malgica</i> ; <i>Symplassosphaeridium</i> spp.; <i>Synsphaeridium</i> spp.; <i>Coneosphaera</i> sp.; <i>Satka squamifera</i> ; <i>Satka</i> spp.	27
8—Dendrogram illustrating co-occurrence of taxa	12	19— <i>Coneosphaera arctica</i> n. sp.; <i>Valeria lophostriata</i> ; <i>Spumosina rubiginosa</i> ; <i>Fabiformis baffinensis</i> n. sp.; <i>Palaeocalothrix divaricata</i>	29
9—Palinspastic map showing distribution of Bylot and correlative microbiotas	13	20—Size distribution of specimens of <i>Spumosina</i> and <i>Fabiformis</i>	30
10—Size-frequency histogram of tubular filaments	13		
11— <i>Siphonophycus septatum</i> ; <i>Siphonophycus robustum</i> ; <i>Siphonophycus rugosum</i> ; <i>Siphonophycus kestron</i> ; <i>Siphonophycus capitaneum</i> ; <i>Pellicularia tenera</i> ; <i>Polytrichoides lineatus</i> ; <i>Obruchevella valdaica</i>	14		
12—Opaque filaments; <i>Oscillatoriopsis</i> sp.; <i>Chlorogloeaopsis contexta</i> ; <i>Chlorogloeaopsis kanshiensis</i> ; <i>Arctacellularia ellipsoidea</i> ; <i>Arctacellularia tetragonala</i> ; <i>Palaeolyngbya</i> sp.; <i>Navifusa bacillaris</i>	16		
13— <i>Nostocomorpha</i> sp.; <i>Leiosphaeridia</i> spp.	18		

TABLE

1—Reported size ranges of species of <i>Arctacellularia</i>	19
---	----