

Contents

<i>Preface</i>	<i>page ix</i>
I Locally integrable structures	1
I.1 Complex vector fields	1
I.2 The algebraic structure of $\mathfrak{X}(\Omega)$	4
I.3 Formally integrable structures	5
I.4 Differential forms	7
I.5 The Frobenius theorem	11
I.6 Analytic structures	14
I.7 The characteristic set	15
I.8 Some special structures	15
I.9 Locally integrable structures	19
I.10 Local generators	21
I.11 Local generators in analytic structures	25
I.12 Integrability of complex and elliptic structures	26
I.13 Elliptic structures in the real plane	28
I.14 Compatible submanifolds	32
I.15 Locally integrable CR structures	36
I.16 A CR structure that is not locally integrable	38
I.17 The Levi form on a formally integrable structure	42
Appendix: Proof of the Newlander–Nirenberg theorem	47
Notes	51
II The Baouendi–Treves approximation formula	52
II.1 The approximation theorem	52
II.2 Distribution solutions	63
II.3 Convergence in standard functional spaces	69
II.4 Applications	83
Notes	99

III	Sussmann's orbits and unique continuation	101
III.1	Sussmann's orbits	101
III.2	Propagation of support and global unique continuation	108
III.3	The strong uniqueness property for locally integrable solutions	120
III.4	Proof of Theorem III.3.15	126
III.5	Uniqueness for approximate solutions	132
III.6	Real-analytic structures in the plane	140
III.7	Further applications of Sussmann's orbits	146
	Notes	147
IV	Local solvability of vector fields	149
IV.1	Planar vector fields	150
IV.2	Solvability in C^∞	176
IV.3	Vector fields in several variables	184
IV.4	Necessary conditions for local solvability	199
	Notes	214
V	The FBI transform and some applications	218
V.1	Certain submanifolds of hypoanalytic manifolds	218
V.2	Microlocal analyticity and the FBI transform	226
V.3	Microlocal smoothness	236
V.4	Microlocal hypoanalyticity and the FBI transform	239
V.5	Application of the FBI transform to the C^∞ wave front set of solutions of nonlinear PDEs	243
V.6	Applications to edge-of-the-wedge theory	254
V.7	Application to the F. and M. Riesz theorem	263
	Notes	270
VI	Some boundary properties of solutions	271
VI.1	Existence of a boundary value	271
VI.2	Pointwise convergence to the boundary value	281
VI.3	One-sided local solvability in the plane	286
VI.4	The H^p property for vector fields	289
	Notes	307
VII	The differential complex associated with a formally integrable structure	308
VII.1	The exterior derivative	308
VII.2	The local representation of the exterior derivative	309
VII.3	The Poincaré Lemma	311
VII.4	The differential complex associated with a formally integrable structure	311

VII.5	Localization	312
VII.6	Germ solvability	313
VII.7	\mathcal{V} -cohomology and local solvability	315
VII.8	The Approximate Poincaré Lemma	316
VII.9	One-sided solvability	319
VII.10	Localization near a point at the boundary	321
VII.11	One-sided approximation	322
VII.12	A Mayer–Vietoris argument	323
VII.13	Local solvability versus local integrability	328
	Notes	330
VIII	Local solvability in locally integrable structures	331
VIII.1	Local solvability in essentially real structures	332
VIII.2	Local solvability in the analytic category	332
VIII.3	Elliptic structures	333
VIII.4	The Box operator associated with D	337
VIII.5	The intersection number	340
VIII.6	The intersection number under certain geometrical assumptions	343
VIII.7	A necessary condition for one-sided solvability	346
VIII.8	The sufficiency of condition $(\star)_0$	348
VIII.9	Proof of Proposition VIII.8.2	350
VIII.10	Solvability for corank one analytic structures	354
	Notes	357
	<i>Epilogue</i>	361
1	<i>The similarity principle and applications</i>	361
2	<i>Mizohata structures</i>	364
3	<i>Hypoanalytic structures</i>	370
4	<i>The local model for a hypoanalytic manifold</i>	371
5	<i>The sheaf of hyperfunction solutions on a hypoanalytic manifold</i>	372
	<i>Appendix A Hardy space lemmas</i>	374
A.1	<i>Multipliers in h^1</i>	374
A.2	<i>Commutators</i>	376
A.3	<i>Change of variables</i>	378
	<i>Bibliography</i>	381
	<i>Index</i>	390

