MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

of the Cambridge Philosophical Society

VOLUME 170





Published by the Press Syndicate of the University of Cambridge The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS University Printing House, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom 32 Avenue of the Americas, New York, NY 10013–2473, USA 477 Williamstown Road, Port Melbourne, VIC 3207, Australia C/Orense, 4, planta 13, 28020 Madrid, Spain Lower Ground Floor, Nautica Building, The Water Club, Beach Road, Granger Bay, Cape Town 8005, South Africa

© Cambridge Philosophical Society 2021

Printed in the United Kingdom by Bell and Bain Limited, Glasgow

INDEX FOR VOLUME 170

	PAGE
Abreu, M., Gutt, J., Kang, J. & Macarini, L. Two closed orbits for non-degenerate	
Reeb flows	625
Afsar, Z. & Sims, A. KMS states on the C^* -algebras of Fell bundles over groupoids	221
Antolín, Y. Counting subgraphs in fftp graphs with symmetry	327
Brück, B. Maximal hyperbolic towers and weight in the theory of free groups	479
Carmon, D. & Entin, A. On square-free values of large polynomials over the rational	
function field	247
Casals-Ruiz, M., Kazachkov, I. & Zakharov, A. On commensurability of right-angled Artin	
groups II: RAAGs defined by paths	559
Chen, H., Fang, M., Kerner, O., Koenig, S. & Yamagata, K. Rigidity dimension	
of algebras	417
Davis, C.W. & Park, J. Concordance to links with an unknotted component	155
Delbourgo, D. Variation of the algebraic λ -invariant over a solvable extension	499
Ferapontov, E. & Kruglikov, B. Dispersionless integrable hierarchies and	
$GL(2,\mathbb{R})$ geometry	129
Frei, C., Koymans, P. & Sofos, E. Vinogradov's three primes theorem with primes having	
given primitive roots	75
Grishkov, A.N. & Zavarnitsine, A.V. Moufang loops with nonnormal commutative centre	609
Hare, K.E. & Troscheit, S. Lower Assouad Dimension of measures and regularity	379
Heap, W. Moments of the Dedekind zeta function and other non-primitive <i>L</i> -functions	191
Marchesi, S. & Vallès, J. Nearly free curves and arrangements: a vector bundle	
point of view	51
Martin, A. & Osajda, D. A combination theorem for combinatorially non-positively curved	
complexes of hyperbolic groups	445
Martí-Pete, D. Escaping Fatou components of transcendental self-maps of the	
punctured plane	265
Merikoski, J. Large prime factors on short intervals	1
Millard, B. & Vogtmann, K. Cube complexes and abelian subgroups of automorphism groups	
of RAAGs	523
Natale, S. Extensions of tensor categories by finite group fusion categories	161
Scott, A. & Wood, D.R. Separation dimension and degree	549
Tointon, M.C.H. Polylogarithmic bounds in the nilpotent Freiman theorem	111
Vera, A. Johnson–Levine homomorphisms and the tree reduction of the LMO functor	291
Woodhouse, D.J. Revisiting Leighton's theorem with the Haar measure	615
Zeman, T. On the quotients of mapping class groups of surfaces by the Johnson subgroups	355

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

A paper should be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form only.Authors are encouraged to prepare their manuscripts in LaTeX 2e using the PSP class file. The class file, together with a guide, PSP2egui.tex, and sample pages, PSP2esam.tex, can be downloaded from ftp://ftp.cambridge.org/pub/texarchive/journals/latex/psp-cls in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas, Some applications of a theorem of G.H. Hardy would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance $n \, \operatorname{sub} k$ is common usage, but avoid if possible using $c \, \operatorname{sub} n \, \operatorname{sub} k$. Fractions are generally best expressed by a solidus. Complicated exponentials like:

$\exp\{z^2\sin\theta/(1+y^2)\}$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as $o, O, o, O, 0; x, X, x; \phi, \Phi, \emptyset; 1, 1; e,k, \kappa,k$.

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit * from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value \ldots)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

Figure 1 here

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. A basis for . .

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way:

Table 1.A basis for ...

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. Ann of Math. (2) 72 (1960), 20-104.

[2] M. P. FOURAM and D. S. SCOTT. Sheaves and logic. In Applications of Sheaves Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.

[3] P. T. JOHNSTONE. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. LAWVERE. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

6. Submission of papers accepted for publication

When a paper has been accepted for publication the relevant TeX files of the final version, accompanied by a pdf file, should be sent to the Editor by e-mail.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

MATHEMATICAL PROCEEDINGS

of the

Cambridge Philosophical Society

VOLUME 170 PART 3, pages 445-660, May 2021

CONTENTS

ALEXANDRE MARTIN & DAMIAN OSAJDA A combination theorem for combinatorially
non-positively curved complexes of hyperbolic groups
BENJAMIN BRÜCK Maximal hyperbolic towers and weight in the theory of
free groups
DANIEL DELBOURGO Variation of the algebraic λ -invariant over a solvable
extension
BENJAMIN MILLARD & KAREN VOGTMANN Cube complexes and abelian subgroups of
automorphism groups of RAAGs
ALEX SCOTT & DAVID R. WOOD Separation dimension and degree 54
Montserrat Casals-Ruiz, Ilya Kazachkov & Alexander Zakharov
On commensurability of right-angled Artin groups II: RAAGs defined
by paths
ALEXANDER N. GRISHKOV & ANDREI V. ZAVARNITSINE Moufang loops with
nonnormal commutative centre 609
DANIEL J. WOODHOUSE Revisiting Leighton's theorem with the Haar
measure
MIGUEL ABREU, JEAN GUTT, JUNGSOO KANG & LEONARDO MACARINI Two closed
orbits for non-degenerate Reeb flows

©The Cambridge Philosophical Society 2021

Cambridge Core For further information about this journal please go to the journal website at: cambridge.org/psp



MIX Paper from responsible sources FSC[®] C007785

