Vol. LXXVI No. 10

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

CARCINOMA OF THE POST-CRICOID REGION AND CERVICAL (Esophagus	O. Chance
SECONDARY PHARYNGO-ŒSOPHAGEAL REPAIR AFTER IRRADIATION AND RESECTION	H. J. SHAW
DEAFNESS ASSOCIATED WITH CLEFT PALATE	C. A. Holborow
OTOTOXICITY OF NEOMYCIN AND OTHER ANTIBIOTICS .	W. LEACH
ADENOIDECTOMY: How Often is Tonsillectomy Necessary Later?	I. S. Young
Fungal Infection of the Post-operative Mastoid Cavity	G. D. L. SMYTH
CLINICAL RECORDS—	
A Case of Traumatic Rupture of the Tympanic Membrane Occurring during Preparation of an Aural Impression	R. R. A. Coles
Severe Nose Bleed in a Case of Myelomatosis	N. Shah
LEPROSY PRESENTING AS FACIAL PALSY	S. K. Bosher
A SELF RETAINING SOFT PALATAL RETRACTOR .	Hussein H. Toppozada

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the

Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of

Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at ros. od. each; copies of parts up to Vol.

LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

O Journal of Laryngology and Otology, 1962

CONTENTS

	PAGE
CARCINOMA OF THE POST-CRICOID REGION AND CERVICAL ŒSOPHAGUS. O. Chance and R. R. Woods (Dublin)	727
Secondary Pharyngo-Œsophageal Repair after Irradiation and Resection. H. J. Shaw (London)	742
Deafness Associated with Cleft Palate. C. A. Holborow (London)	762
Ototoxicity of Neomycin and other Antibiotics. W. Leach (London)	774
Adenoidectomy: How often is Tonsillectomy Necessary Later? I. S. Young (Norwich)	791
Fungal Infection of the Post-operative Mastoid Cavity. G. D. L. Smyth (Belfast	797
CLINICAL RECORDS— A Case of Traumatic Rupture of the Tympanic Membrane Occurring During Preparation of an Aural Impression. R. R. A. Coles (Teddington)	822
Severe Nose Bleed in a Case of Myelomatosis. N. Shah (Dartford)	824
Leprosy Presenting as Facial Palsy. S. K. Bosher (London) .	827
A Self Retaining Soft Palatal Retractor. Hussein H. Toppozada (Alexandria)	831
General Notes	837

For Advertisement space in this Journal apply to: HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2

ROYAL EAR HOSPITAL PATTERN ULTRASONIC EQUIPMENT

for the conservative surgery of Ménière's Disease. (Arslan Technique.) U.K. and U.S.A. patents applied for. Now available with the following special advantages:

TRANSDUCER and cable will withstand sterilization in autoclave.

Low operating voltage of transducer.

APPLICATORS can be interchanged to suit anatomy of middle ear.

Applicator tip normally $2\frac{1}{2}$ mm. in diameter.

Intensities up to 100 Watts per sq. cm., giving ample power for pituitary irradiation in carcinoma.

GENERATOR operates on 90-250 volts 50 or 60 cycles.

Weight 50 lb. Size 21 by 14 by 12 in.

Tuning and intensity can be checked continuously.

REFERENCES:

Arslan. Proc. Fifth Int. Congress Oto-Rhino-Laryngol., Amsterdam, 1953.

Proc. rov. Soc. Med., 1958, 51, 617.

J. Laryng., 1960, LXXIV, 628.

Ibid., 1960, LXXIV, 730.

Ibid., 1961, LXXV, 345.

Ibid., 1962, LXXVI, 299.

Made in England by

FRISTON ELECTRONICS LTD., 25 CHURCH ROAD, RICHMOND, SURREY.

Whatever the Season...

'Actifed' relieves nasal and respiratory congestion from the inside. It is taken by mouth and reaches areas inaccessible to sprays and nasal drops.

Rapidity of action is an outstanding feature of 'Actifed' products—relief of symptoms is felt within 10 to 30 minutes.

'Actifed' combines the most potent antihistamine, triprolidine, with pseudoephedrine, a powerful vaso-constrictor and bronchodilator. Unlike its analogue ephedrine, pseudoephedrine causes no marked central stimulation.

With 'Actifed' there is no risk of secondary engorgement or inhibitions of ciliary activity. 'Actifed' Tablets are recommended for adults, while the Syrup is particularly suitable for children. Also available—'Actifed' Compound Linctus, which contains codeine in addition to the other two ingredients, for relief of coughs or coughs and congestion.

'Actifed' TABLETS & SYRUP

clear Respiratory Congestion



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London

NEW BOOKS . . . FOR LARYNGOLOGISTS AND OTOLOGISTS

APPLIED AUDIOLOGY FOR CHILDREN by D. M. C. Dale, School for Deaf and Partially Deaf Children, Kelston, Auckland, New Zealand. This is a down-to-earth, practical book with much to interest otologists and all who come in contact with children who have defective hearing. The author considers the relationship between the frequency components of speech sounds, the audiogram of the patient, and the frequency response of the hearing aid. He deals with factors which affect the reception of speech by hearing aid users and suggests practical measures by which children can be enabled to hear the most intelligible and continuous pattern of sound that their residual capacity to hear permits. Sept. '62, about 164 pp., about 79 il.

RADIATION THERAPY IN THE MANAGEMENT OF CANCERS OF THE ORAL CAVITY AND OROPHARYNX by Gilbert H. Fletcher and William S. MacComb. Physics Section by Robert J. Shalek and Marilyn Stovall. All of Univ. of Texas M. D. Anderson Hospital and Tumor Institute. The authors cover first principles underlying management with special emphasis on clinical varieties, integration of radiation and surgery, patient care, and management of complications. Applications of principles of radiotherapy to the specific management of squamous cell carcinomas are discussed in detail. Jan. '62, 408 pp., 346 il., \$16.50

RHINOSCLEROMA by Francisco Kerdel-Vegas and Jacinto Convit, both of Universidad Central de Venezuela; Bernard Gordon and Mauricio Goilmann, both of Vargas Hospital. All of Caracas, Venezuela. Rhinoscleroma is a chronic, infectious disease with a slow, non-fatal but often incapacitating evolution. It is important from a social as well as a scientific point of view. The information in this study from an endemic area of rhinoscleroma will be of value to all physicians. It covers every facet of this destructive condition including results of modern methods of treatment. Dec. '62


THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD by Donald F. Proctor, The Johns Hopkins Univ. This second volume in Doctor Proctor's series will serve to clarify a great many controversial issues for both otolaryngologist and pediatrician. Recommended operative treatments are discussed in detail and fully illustrated. Hearing and speech problems are approached from the viewpoint of preventive medicine, treatment of diseases amenable to cure, and assistance to those children whose irremediable handicap leaves them with defective ability to communicate. Nov. '62

RECRUITING TEACHERS FOR THE DEAF by Joseph S. Rudloff, San Diego, Calif. Mr. Rudloff's work will be a boon to the administrator or supervisor whose difficult task it is to staff programmes for the deaf with qualified teachers. First, pertinent and basic considerations are reviewed. For what type of child do you recruit a teacher? What does the education of a deaf child mean and entail? In the second section the author presents results of a detailed study of teachers already in the field. Why did they enter? What is their educational background? Finally, logical and helpful conclusions are drawn from the study—guidelines that lend fact to an area previously left to opinion. July '62, 76 pp., 30 tables, \$4.25

SPEECH REHABILITATION OF THE LARYNGECTOMIZED by John C. Snidecor, Univ. of Calif. With a broad view of the laryngectomee as a total person, the authors consider the nature of the operation and its impact on the patient, personality in reference to rehabilitation, and the nature of the new speech and its limitations as contrasted with normal speech. Each contributor is well known for substantial research in his own area of specialization. March '62, 204 pp., 34 il., \$8.00

CHARLES C. THOMAS PUBLISHER

301-327 East Lawrence Avenue · SPRINGFIELD · ILLINOIS · U.S.A.



for colds complicated by cough

- 'TRIOTUSSIC' PROVIDES
 - non-addictive cough suppression and bronchodilatation
 - □ nasal decongestion, relief of rhinorrhoea without "rebound"
 - analgesia and antipyresis without gastric intolerance
 - expectoration to increase respiratory lubrication
 - □ the known anti-allergic advantages of 'Triominic'



PACKS: Tablets: 50's and 250's. Basic N.H.S. Price for 50 (8 days' treatment) is 4/6d. Suspension: bottles of 4 and 20 fl. oz. Basic N.H.S. Price is 4/1d. for 4 fl. oz.



Literature and sample on signed request of physicians only.

A. WANDER LIMITED 42 UPPER GROSVENOR STREET, LONDON W.1

'PETERS' NEW CLINIC AUDIOMETER

FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES:

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to 1 db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd. 152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd.

VICTORIA WORKS, GELL STREET, SHEFFIELD 3

First clinical audiometer to provide 100% accurate audiograms



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and *all* the other tests essential to proved pure tone audiometry.


AMPLIVOX LTD

Medical Acoustic Division 80 New Bond St, London W.1. Tel: HYDe Park 9888



SEND FOR THIS DESCRIPTIVE BROCHURE

Containing full information on the latest audiometric techniques in air and bone conduction.



And the reply was $\mu\alpha\rho\nu\delta_{1}\alpha$ which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes—the largest selection in the country—for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.



Domiciliary visits in any part of the country

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor:


GEORGE E. SHAMBAUGH, Jr. 40 South Clay Street, Hinsdale, Ill.

The Archives of Otolaryngology is published monthly by the American Medical Association and is an official publication of the Association.


The yearly rate of the Archives of Otolaryngology is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.

In acute or chronic sinusitis, secondary infection in influenza and the common cold, and in sore throat



Sulfex Intranasal Drops



rapid concentration at the site of infection prolonged bacteriostasis safe, effective vasoconstriction

Formula: 'Mickraform' sulphatniazol 5% in an isotonic aqueous medium with 'Paredrinex' (hydroxyamphetamine hydrobromide) 1 per cent.

SMITH KLINE & FRENCH LABORATORIES LTD Welwyn Garden City, Herts

談

*'Sulfex', 'Mickraform' and 'Paredrinex' are trade marks \$X:PA22 (Col)