

IMA Commission on New Minerals, Nomenclature and Classification (CNMNC)

NEWSLETTER 25

New minerals and nomenclature modifications approved in 2015

U. HÄLENIUS¹ (Chairman, CNMNC), F. HATERT² (Vice-Chairman, CNMNC), M. PASERO³ (Vice-Chairman, CNMNC) AND S. J. MILLS⁴ (Secretary, CNMNC)

¹ Department of Mineralogy, Naturhistoriska Riksmuseet, Box 50007, SE-104 05 Stockholm, Sweden – ulf.halenius@nrm.se

² Laboratoire de Minéralogie, Université de Liège, B-4000 Liège, Belgium – fhatert@ulg.ac.be

³ Dipartimento di Scienze della Terra, Università degli Studi di Pisa, Via Santa Maria 53, I-56126 Pisa, Italy – marco.pasero@unipi.it

⁴ Geosciences, Museum Victoria, PO Box 666, Melbourne, Victoria 3001, Australia – smills@museum.vic.gov.au

The information given here is provided by the IMA Commission on New Minerals, Nomenclature and Classification for comparative purposes and as a service to mineralogists working on new species.

Each mineral is described in the following format:

Mineral name, if the authors agree on its release prior to the full description appearing in press

Chemical formula

Type locality

Full authorship of proposal

E-mail address of corresponding author

Relationship to other minerals

Crystal system, Space group; Structure determined, yes or no

Unit-cell parameters

Strongest lines in the X-ray powder diffraction pattern

Type specimen repository and specimen number

Citation details for the mineral prior to publication of full description

Citation details concern the fact that this information will be published in the *Mineralogical Magazine* on a routine basis, as well as being added month by month to the Commission's web site.

It is still a requirement for the authors to publish a full description of the new mineral.

NO OTHER INFORMATION WILL BE RELEASED BY THE COMMISSION

NEW MINERAL PROPOSALS APPROVED IN APRIL 2015**No. 2014-103**

Calciomurmanite

 $(\text{Na}, \square)_2\text{Ca}(\text{Ti}, \text{Mg}, \text{Nb})_4[\text{Si}_2\text{O}_7]_2\text{O}_2(\text{OH}, \text{O})_2(\text{H}_2\text{O})_4$
Flora Mountain, Lovozero alkaline complex,
Kola peninsula, Russia (holotype); Eveslogchorr
Mountain, Khibiny alkaline complex, Kola
peninsula, Russia (cotype)Inna S. Lykova, Igor V. Pekov*, Nikita V.
Chukanov, Dmitry I. Belakovskiy, Vasiliy O.
Yapaskurt, Natalia V. Zubkova, Sergey N.
Britvin and Gerald Giester

*E-mail: igorpekov@mail.ru

The calcium analogue of murmanite

Triclinic: $P\bar{1}$; structure determined $a = 5.3470(6)$, $b = 7.0774(7)$, $c = 12.146(1)$ Å,
 $\alpha = 91.827(4)$, $\beta = 107.527(4)$, $\gamma = 90.155(4)^\circ$
11.69(100), 5.87(68), 4.251(89), 3.825(44),
2.940(47), 2.900(79), 2.752(26), 2.659(39)Type material is deposited in the collections of
the Fersman Mineralogical Museum, Russian
Academy of Sciences, Moscow, Russia, cata-
logue number ST4994; cotype material is
deposited in the collections of the Bel'kov
Museum of Geology and Mineralogy, Kola
Science Centre of the Russian Academy of
Sciences, Apatity, Russia, catalogue number
3667How to cite: Lykova, I.S., Pekov, I.V.,
Chukanov, N.V., Belakovskiy, D.I., Yapaskurt,
V.O., Zubkova, N.V., Britvin, S.N. and Giester,
G. (2015) Calciomurmanite, IMA 2014-103.
CNMNC Newsletter No. 25, June 2015, page
530; *Mineralogical Magazine*, **79**, 529–535.**No. 2014-104**

Dravertite

 $\text{CuMg}(\text{SO}_4)_2$ Arsenatnaya fumarole, Second scoria cone of
the Northern Breakthrough of the Great
Tolbachik Fissure Eruption, Tolbachik volcano,
Kamchatka Peninsula, Far-Eastern Region,
Russia ($55^{\circ}41'N$, $160^{\circ}14'E$, 1200 m asl)
Igor V. Pekov*, Natalia V. Zubkova, Atali A.
Agakhanov, Vasiliy O. Yapaskurt, Nikita V.
Chukanov, Dmitry I. Belakovskiy, Evgeny G.
Sidorov and Dmitry Y. Pushcharovsky

*E-mail: igorpekov@mail.ru

Chemically and structurally related to
chalcocyaniteMonoclinic: $P2_1/n$; structure determined $a = 4.8141(3)$, $b = 8.4443(5)$, $c = 6.7731(4)$ Å,
 $\beta = 94.598(5)^\circ$ 4.175(68), 3.666(64), 3.579(63), 3.443(59),
2.719(41), 2.637(100), 2.430(68), 1.791(24)Type material is deposited in the collections of
the Fersman Mineralogical Museum, Russian
Academy of Sciences, Moscow, Russia, regis-
tration number 4674/1How to cite: Pekov, I.V., Zubkova, N.V.,
Agakhanov, A.A., Yapaskurt, V.O., Chukanov,
N.V., Belakovskiy, D.I., Sidorov, E.G. and
Pushcharovsky, D.Y. (2015) Dravertite, IMA
2014-104. CNMNC Newsletter No. 25, June
2015, page 530; *Mineralogical Magazine*, **79**,
529–535.**No. 2014-105**

Honzaite

 $\text{Ni}_2(\text{AsO}_3\text{OH})_2 \cdot 5\text{H}_2\text{O}$ Jáchymov ore district, western Bohemia, Czech
RepublicJiří Sejkora*, Jakub Plášil and Anthony R.
Kampf

E-mail: jiri_sejkora@nm.cz

Isostructural with burgessite

Monoclinic: $P2_1/n$; structure determined $a = 4.6736(6)$, $b = 9.296(1)$, $c = 12.592(1)$ Å,
 $\beta = 99.115(8)^\circ$
7.431(100), 6.215(18), 3.717(9), 3.360(3),
3.254(7), 3.078(7), 3.005(5), 2.568(7)Type material is deposited in the collections of
the Department of Mineralogy and Petrology,
National Museum of Prague, Prague, Czech
Republic, catalogue number P1N 38.099How to cite: Sejkora, J., Plášil, J. and Kampf,
A.R. (2014) Honzaite, IMA 2014-105. CNMNC
Newsletter No. 25, June 2015, page 530;
Mineralogical Magazine, **79**, 529–535.**No. 2014-106**

Cryptochalcite

 $\text{K}_2\text{Cu}_5\text{O}(\text{SO}_4)_5$ Arsenatnaya fumarole, Second scoria cone of
the Northern Breakthrough of the Great
Tolbachik Fissure Eruption, Tolbachik volcano,
Kamchatka Peninsula, Far-Eastern Region,
Russia ($55^{\circ}41'N$, $160^{\circ}14'E$, 1200 m asl)Igor V. Pekov*, Natalia V. Zubkova, Atali A.
Agakhanov, Vasiliy O. Yapaskurt, Dmitry I.
Belakovskiy, Marina F. Vigasina, Evgeny G.
Sidorov and Dmitry Y. Pushcharovsky

*E-mail: igorpekov@mail.ru

New structure type

Triclinic: $P\bar{1}$; structure determined
 $a = 10.0045(3)$, $b = 12.6663(4)$, $c = 14.4397(5)$ Å, $\alpha = 102.194(3)$, $\beta = 101.372(3)$, $\gamma = 90.008(3)^\circ$

13.9(30), 6.95(100), 6.22(45), 3.93(65), 3.76(30), 3.39(30), 3.19(35), 2.500(40)

Type material is deposited in the collections of the Fersman Mineralogical Museum, Russian Academy of Sciences, Moscow, Russia, registration number 4675/1

How to cite: Pekov, I.V., Zubkova, N.V., Agakhanov, A.A., Yapaskurt, V.O., Belakovskiy, D.I., Vigasina, M.F., Sidorov, E.G. and Pushcharovsky, D.Y. (2015) Cryptochalcite, IMA 2014-106. CNMNC Newsletter No. 25, June 2015, page 530; *Mineralogical Magazine*, **79**, 529–535.

No. 2014-107

Taniajacoite
 $\text{SrCaMn}_2^{3+}\text{Si}_4\text{O}_{11}(\text{OH})_4 \cdot 2\text{H}_2\text{O}$

N'Chwaning III mine, Kalahari Manganese Field, Northern Cape Province, South Africa (27°07'50.81"S, 22°50'28.83"E)

Hexiong Yang*, Xiangping Gu, Robert T. Downs and Xiande Xie

*E-mail: hyang@u.arizona.edu

Isostructural with ruiosite

Triclinic: $C1$; structure determined

$a = 9.1376(6)$, $b = 6.2567(4)$, $c = 12.0045(7)$ Å, $\alpha = 90.019(4)$, $\beta = 91.641(4)$, $\gamma = 89.899(4)^\circ$

4.224(30), 3.131(88), 2.980(63), 2.902(33), 2.771(100), 2.541(31), 2.534(64), 2.367(43)

Co-type material is deposited in the collections of the Mineral Museum of the University of Arizona, Tucson, AZ, USA, catalogue number 20009, and the RRUFF Project, deposition number R140945

How to cite: Yang, H., Gu, X., Downs, R.T. and Xie, X. (2015) Taniajacoite, IMA 2014-107.

CNMNC Newsletter No. 25, June 2015, page 531; *Mineralogical Magazine*, **79**, 529–535.

No. 2014-108

Bubnovaite
 $\text{K}_2\text{Na}_8\text{Ca}(\text{SO}_4)_6$

In volcanic fumaroles of the 2012–2013 Tolbachik Fissure Eruption, Tolbachik volcano, Kamchatka Peninsula, Far-Eastern Region, Russia (55°41'N, 160°14'E)

Liudmila A. Gorelova, Lidiya P. Vergasova, Sergey V. Krivovichev*, Evgenia Y. Avdontseva, Svetlana V. Moskaleva, Stanislav

K. Filatov and Gennadii A. Karpov

*E-mail: s.krivovichev@spbu.ru

Structurally related to glaserite

Trigonal: $P31c$; structure determined

$a = 10.804(3)$, $c = 22.011(6)$ Å, 3.943(80), 2.894(35), 2.868(62), 2.718(91), 2.707(100), 2.647(10), 2.231(6), 1.969(21)

Type material is deposited in the collections of the Mineralogical Museum, St. Petersburg State University, St. Petersburg, Russia, sample number 1/19635

How to cite: Gorelova, L.A., Vergasova, L.P., Krivovichev, S.V., Avdontseva, E.Y., Moskaleva, S.V., Filatov, S.K. and Karpov, G.A. (2015) Bubnovaite, IMA 2014-108.

CNMNC Newsletter No. 25, June 2015, page 531; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-001

Beckettite

$\text{Ca}_2\text{V}_6\text{Al}_6\text{O}_{20}$

Allende CV3 meteorite, Pueblito de Allende, Chihuahua, Mexico (26°58'N, 105°19'W)

Chi Ma*, Julie Paque and Oliver Tschauner

*E-mail: chi@gps.caltech.edu

Sapphirine supergroup

Triclinic: $P\bar{1}$

$a = 10.367$, $b = 10.756$, $c = 8.895$ Å, $\alpha = 106$, $\beta = 96$, $\gamma = 124.7^\circ$

2.684(60), 2.683(68), 2.544(100), 2.541(81), 2.540(75), 2.104(84), 2.103(84), 2.089 (89)

Type material is deposited in the collections of the National Museum of Natural History, Smithsonian Institution, Washington, DC, USA, registration number USNM 7617

How to cite: Ma, C., Paque, J. and Tschauner, O. (2015) Beckettite, IMA 2015-001. CNMNC Newsletter No. 25, June 2015, page 531; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-002

Apexite

$\text{NaMg}(\text{PO}_4)_9\text{H}_2\text{O}$

Apex mine, about 4.5 km SSW of Austin, Lander Co., Nevada, USA (39°27'30"N, 117°05'56"W)

Anthony R. Kampf*, Stuart J. Mills, Barbara P. Nash, Martin Jensen and Tony Nikischer

*E-mail: akampf@nhm.org

New structure type

Triclinic: $P\bar{1}$; structure determined

$a = 6.9296(7)$, $b = 11.977(1)$, $c = 14.944(2)$ Å, $\alpha = 92.109(6)$, $\beta = 102.884(7)$, $\gamma = 105.171(7)^\circ$

14.63(35), 5.11(61), 4.68(75), 4.301(96),
4.008(44), 2.876(46), 2.762(100), 2.507(30)

Co-type material is deposited in the collections of the Natural History Museum of Los Angeles County, 900 Exposition Boulevard, Los Angeles, CA 90007, USA, catalogue numbers 65563 and 65564, and the Museum Victoria, Melbourne, Victoria, Australia, catalogue number M53381

How to cite: Kampf, A.R., Mills, S.J., Nash, B.P., Jensen, M. and Nikischer, T. (2015) Apexite, IMA 2015-002. CNMNC Newsletter No. 25, June 2015, page 531; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-003

Eleonorite



Eleonore mine, Rodheim-Bieber, Gießen, Hesse, Germany

Nikita V. Chukanov*, Sergey M. Aksenov, Ramiza K. Rastsvetaeva, Christof Schäfer, Igor V. Pekov, Dmitry I. Belakovskiy, Ricardo Scholz, Luiz C.A. de Oliveira and Sergey N. Britvin

*E-mail: nikchukanov@yandex.ru

Closely related to beraunite

Monoclinic: $C2/c$; structure determined
 $a = 20.679(10)$, $b = 5.148(2)$, $c = 19.223(9)$ Å,
 $\beta = 93.574(9)^\circ$

10.41(100), 9.67(38), 7.30(29), 4.816(31),
4.424(13), 3.432(18), 3.197(18), 3.071(34)

Type material is deposited in the collections of the Fersman Mineralogical Museum, Russian Academy of Sciences, Moscow, Russia, registration numbers 4684/1 and 4684/2

How to cite: Chukanov, N.V., Aksenov, S.M., Rastsvetaeva, R.K., Schäfer, C., Pekov, I.V., Belakovskiy, D.I., Scholz, R., de Oliveira, L.C.A. and Britvin, S.N. (2015) Eleonorite, IMA 2015-003. CNMNC Newsletter No. 25, June 2015, page 532; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-004

Albertiniite



Monte Fal mine, near Coiromonte, Armeno, Novara Province, Italy ($45^\circ 50' 52.37''\text{N}$, $8^\circ 29' 1.13''\text{E}$)

Pietro Vignola*, G. Diego Gatta, Nicola Rotiroti, Paolo Gentile, Frédéric Hatert, Maxime Baijot, Danilo Bersani, Andrea Risplendente

and Alessandro Pavese

*E-mail: pietro.vignola@idpa.cnr.it

Chemically it is the Fe^{2+} analogue of gravegliaite

Monoclinic: $P2_1/n$; structure determined

$a = 6.633(1)$, $b = 8.831(1)$, $c = 8.773(2)$ Å, $\beta = 96.106(8)^\circ$

6.167(14), 5.533(27), 4.998(14), 4.721(100),
4.353(13), 3.897(12), 3.539(94), 2.830(12)

Co-type material is deposited in the mineralogical collection of the Museo Civico di Storia Naturale, Milano, Italy (number MM 38728), and the Laboratory of Mineralogy, University of Liège, Belgium (number 20393)

How to cite: Vignola, P., Gatta, G.D., Rotiroti, N., Gentile, P., Hatert, F., Baijot, M., Bersani, D., Risplendente, A. and Pavese, A. (2015) Albertiniite, IMA 2015-004. CNMNC

Newsletter No. 25, June 2015, page 532; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-005

Pauladamsite



Santa Rosa mine, Darwin district, Inyo Co., California, USA ($36^\circ 25' 7''\text{N}$, $117^\circ 43' 26''\text{W}$)

Anthony R. Kampf*, Stuart J. Mills and Barbara P. Nash

*E-mail: akampf@nhm.org

New structure type

Triclinic: $P\bar{1}$; structure determined

$a = 6.0742(7)$, $b = 8.415(1)$, $c = 10.780(1)$ Å,
 $\alpha = 103.665(7)$, $\beta = 95.224(7)$, $\gamma = 90.004(6)^\circ$
10.5(100), 5.81(50), 3.994(67), 3.431(23),
2.692(57), 2.485(39), 2.396(32), 1.513(20)

Co-type material is deposited in the collections of the Natural History Museum of Los Angeles County, 900 Exposition Boulevard, Los Angeles, CA 90007, USA, catalogue numbers 65569, 65570, 65571, 65572 and 65573

How to cite: Kampf, A.R., Mills, S.J. and Nash, B.P. (2015) Pauladamsite, IMA 2015-005.

CNMNC Newsletter No. 25, June 2015, page 532; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-006

Addibischoffite



Acfer 214 meteorite, Tanezrouft, Tamanghasset Province, Algeria

Chi Ma* and Alexander N. Krot

*E-mail: chi@gps.caltech.edu

Sapphirine supergroup

Triclinic: $P\bar{1}$

$a = 10.367$, $b = 10.756$, $c = 8.895 \text{ \AA}$, $\alpha = 106^\circ$,
 $\beta = 96^\circ$, $\gamma = 124.7^\circ$

2.937(59), 2.683(66), 2.544(100), 2.541(78),
2.540(71), 2.104(78), 2.103(78), 2.089(83)

Type material is deposited in the G.J. Wasserburg Meteorite Collection (section Acfer 214-1580) of the Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, California 91125, USA
How to cite: Ma, C. and Krot, A.N. (2015) Addibischoffite, IMA 2015-001. CNMNC Newsletter No. 25, June 2015, page 532; *Mineralogical Magazine*, **79**, 529–535.

NEW MINERAL PROPOSALS APPROVED IN MAY 2015

No. 2014-109

Perettiite-(Y)



Momeik Township, Kyaukme District, Shan State, Myanmar

Rosa Micaela Danisi, Thomas Armbruster*, Hao Wang, Detlef Günther, Mariko Nagashima, Eric Reusser and Willy Bieri

*E-mail: armbruster@krist.unibe.ch

New structure type

Orthorhombic: $Pnma$


$a = 12.8252(5)$, $b = 4.6187(2)$, $c = 12.8252(5) \text{ \AA}$
4.63(52), 4.08(28), 3.05(100), 2.64(67),
2.54(60), 1.87(33), 1.84(52), 1.44(25)

Type material is deposited in the collections of the Museum of Natural History Bern, Bernastrasse 5, 3012 Bern, Switzerland, specimen number NMBE-43035

How to cite: Danisi, R.M., Armbruster, T., Wang, H., Günther, D., Nagashima, M., Reusser, E. and Bieri, W. (2015) Perettiite-(Y), IMA 2014-109. CNMNC Newsletter No. 25, June 2015, page 533; *Mineralogical Magazine*, **79**, 529–535.

No. 2014-110

Tsangpoite



D'Orbigny angrite, D'Orbigny, Coronel Suárez, Buenos Aires, Argentina ($37^\circ 40'S$, $61^\circ 39'W$)
Shyh-Lung Hwang*, Pouyan Shen, Hao-Tsu Chu, Tzen-Fu Yui, Maria-Eugenio Varela and Yoshiyuki Iizuka

*E-mail: slhwang@mail.ndhu.edu.tw

A dimorph of silicocarnotite

Hexagonal: $P6_3/m$, $P6_3$, or $P6_322$

$a = 9.488(4)$, $c = 6.991(6) \text{ \AA}$

3.94, 3.50, 3.10, 2.83, 2.82, 2.74, 2.66, 2.28

Type material is deposited in the collections of the Naturhistorisches Museum Wien, Vienna, Austria, inventory number Section D'Orbigny CN1172-NH Wien

How to cite: Hwang, S.-L., Shen, P., Chu, H.-T., Yui, T.-F., Varela, M.E. and Iizuka, Y. (2015) Tsangpoite, IMA 2014-110. CNMNC Newsletter No. 25, June 2015, page 533; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-008

Norilskite



Talnakh deposit (Mayak Mine), Noril'sk deposits, Russia ($69^\circ 30'20''N$, $88^\circ 27'17''E$)

Anna Vymazalová*, František Laufek, Sergej F. Sluzhenikin, Chris J. Stanley, Patricie Haladová and Milan Drábek

*E-mail: anna.vymazalova@geology.cz

New structure type

Trigonal: $P3_121$; structure determined

$a = 8.9656(2)$, $c = 17.2801(4) \text{ \AA}$
3.220(29), 2.313(91), 2.241(100), 1.610(28),
1.308(38), 1.294(18), 1.211(37), 0.963(44)

Co-type material is deposited in the collections of the Department of Earth Sciences, Natural History Museum, London, UK, catalogue No BM 2015,1 and the Fersman Mineralogical Museum, Moscow, Russia, catalogue No 4694/1

How to cite: Vymazalová, A., Laufek, F., Sluzhenikin, S.F., Stanley, C.J., Haladová, P. and Drábek, M. (2015) Norilskite, IMA 2015-008. CNMNC Newsletter No. 25, June 2015, page 533; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-009

Meieranite



Wessels mine, Kalahari Manganese Fields, Northern Cape Province, South Africa ($27^\circ 6'51.82''S$, $22^\circ 51'18.31''E$)

Hexiong Yang*, Xiangping Gu, Robert T. Downs, Stanley H. Evans, Jaco J. van Nieuwenhuizen, Robert M. Lavinsky and Xiande Xie

*E-mail: hyang@u.arizona.edu

Related to the nordite group of minerals

Orthorhombic: $P2_1nb$; structure determined
 $a = 7.9380(2)$, $b = 10.4923(3)$, $c = 18.2560(6) \text{ \AA}$


3.166(27), 2.990(100), 2.800(38), 2.425(42),
2.391(21), 1.853(27), 1.778(21), 1.749(47)

Co-type material is deposited in the collections of the Mineral Museum of the University of Arizona, USA, Catalogue # 20011, and the RRUFF Project, deposition # R140947

How to cite: Yang, H., Gu, X., Downs, R.T., Evans, S.H., van Nieuwenhuizen, J.J., Lavinsky, R.M. and Xie, X. (2015) Meieranite, IMA 2015-009. CNMNC Newsletter No. 25, June 2015, page 533; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-010

Sulfhydrbystrite



Malaya Bystraya lazurite deposit, Malaya Bystraya River Valley, Lake Baikal area, Eastern Siberian Region, Russia (51°40'50"N, 103°25'18"E, 980 m asl)

Anatoly N. Sapozhnikov, Ekaterina V. Kaneva*, Ludmila F. Suvorova, Valery I. Levitsky, Larisa A. Ivanova, Mikhail A. Mitichkin and Igor G. Barash

*E-mail: kev604@mail.ru

Cancrinite group

Trigonal: $P31c$; structure determined


$a = 12.9567(6)$, $c = 10.7711(5)$ Å
4.857(48), 3.948(38), 3.739(94), 3.331(100),
2.715(32), 2.692(56), 2.487(28), 2.156(27)

Type material is deposited in the collections of the Mineralogical Museum of St.-Petersburg State University, 7/9 Universitetskaya nab., Saint-Petersburg, 199034, Russia, catalogue number 1/19636

How to cite: Sapozhnikov, A.N., Kaneva, E.V., Suvorova, L.F., Levitsky, V.I., Ivanova, L.A., Mitichkin, M.A. and Barash, I.G. (2015) Sulfhydrbystrite, IMA 2015-010. CNMNC Newsletter No. 25, June 2015, page 534; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-011

Czochralskiite



Morasko iron meteorite, Poznan, Wielkopolskie, Poland (52°29'N, 16°55'E)

Lukasz Karwowski, Ryszard Kryza*, Andrzej Muszyński, Joachim Kusz, Katarzyna Helios, Piotr Drożdżewski and Evgeny V. Galuskin

*E-mail: ryszard.kryza@ing.uni.wroc.pl

Related to buchwaldite and brianite

Orthorhombic: $Pnma$; structure determined

$a = 17.9230(2)$, $b = 10.7280(2)$, $c = 6.7794(1)$ Å
3.811(50), 3.741(31), 2.735(100), 2.682(61),
2.610(83), 2.301(14), 2.249(17) 1.906(43)

Type material is deposited in the collections of the Mineralogical Museum of the University of Wrocław, Cybulskiego 30, 50-205 Wrocław, Poland, catalogue number MM UW Wr IV7870
How to cite: Karwowski, L., Kryza, R., Muszyński, A., Kusz, J., Helios, K., Drożdżewski, P. and Galuskin, E. (2015) Czochralskiite, IMA 2015-011. CNMNC Newsletter No. 25, June 2015, page 534; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-013

Alexkhomyakovite



Koashva open pit, Vostochnyi (Eastern) apatite mine, Mt. Koashva, Khibiny massif, Kola peninsula, Russia (67°37'N, 34°0'E)

Igor V. Pekov*, Natalia V. Zubkova, Vasiliy O. Yapaskurt, Inna S. Lykova, Nikita V. Chukanov, Dmitry I. Belakovskiy, Sergey N. Britvin, Anna G. Turchkova and Dmitry Y. Pushcharovsky

*E-mail: igorpekov@mail.ru

New structure type

Hexagonal: $P6_3/mcm$; structure determined
 $a = 9.2691(2)$, $c = 15.8419(4)$ Å
7.96(27), 3.486(35), 3.011(100), 2.977(32),
2.676(36), 2.626(42), 2.206(26), 1.982(17)

Type material is deposited in the collections of the Fersman Mineralogical Museum, Russian Academy of Sciences, Moscow, Russia, registration number 4696/1

How to cite: Pekov, I.V., Zubkova, N.V., Yapaskurt, V.O., Lykova, I.S., Chukanov, N.V., Belakovskiy, D.I., Britvin, S.N., Turchkova, A.G. and Pushcharovsky, D.Y. (2015) Alexkhomyakovite, IMA 2015-013. CNMNC Newsletter No. 25, June 2015, page 534; *Mineralogical Magazine*, **79**, 529–535.

No. 2015-014

Huizingite-(Al)

$[(\text{NH}_4)_9(\text{SO}_4)_2][(\text{Al}, \text{Fe}^{3+})_3(\text{OH})_2(\text{H}_2\text{O})_4(\text{SO}_4)_6]$
Huron River, north-central Ohio, 1.5 km west of Milan, Ohio, USA (41°17'42"N, 82°37'30"W)
Anthony R. Kampf*, R. Peter Richards, Barbara P. Nash, John Rakovan and James B.

Murowchick

*E-mail: akampf@nhm.org

New structure type

Triclinic: $P\bar{1}$; structure determined
 $a = 9.7093(3)$, $b = 10.4341(3)$, $c = 10.7027(8)$ Å,
 $\alpha = 77.231(5)$, $\beta = 74.860(5)$, $\gamma = 66.104(5)^\circ$
8.82(60), 5.60(32), 5.037(69), 4.122(41),
3.534(38), 3.427(100), 3.204(68), 3.043(94)
Type material is deposited in the collections of
Natural History Museum of Los Angeles
County, 900 Exposition Boulevard, Los
Angeles, CA 90007, USA, catalogue number
65576
How to cite: Kampf, A.R., Richards, R.P., Nash,
B.P., Rakovan, J. and Murowchick, J.B. (2015)
Huizingite-(Al), IMA 2015-014. CNMNC
Newsletter No. 25, June 2015, page 534;
Mineralogical Magazine, **79**, 529–535.

No. 2015-017

Decagonite
 $Al_{71}Ni_{24}Fe_5$
Khatyrka meteorite, Koryak Upland, Koriak
Autonomous Okrug, Russia
Luca Bindi* and Paul J. Steinhardt
*E-mail: luca.bindi@unifi.it
Known synthetic analogue
Decagonal: $P10_5/mmc$
It is not possible to give three-dimensional unit
cell values for this mineral
3.765(50), 3.405(40), 2.332(25), 2.051(45),
2.024(100), 1.980(40), 1.801(30), 1.422(35)
Type material is deposited in the mineralogical
collection of the Museo di Storia Naturale,
Sezione di Mineralogia e Litologia, Università
di Firenze, Via La Pira 4, I-50121 Firenze, Italy,
catalogue number 3146/I
How to cite: Bindi, L. and Steinhardt, P.J.
(2015) Decagonite, IMA 2015-017. CNMNC
Newsletter No. 25, June 2015, page 535;
Mineralogical Magazine, **79**, 529–535.

No. **2015-018**
Melcherite
 $BaCa_2MgNb_6O_{19}\cdot6H_2O$
Jacupiranga mine, Cajati county, São Paulo,
Brazil ($24^{\circ}42'3''S$, $48^{\circ}7'57''W$)
Marcelo B. Andrade, Daniel Atencio* and Luiz
A.D. Menezes Filho
*E-mail: datencio@usp.br
Related to peterandresenite
Trigonal: $R\bar{3}$; structure determined
 $a = 9.0117(6)$, $c = 23.399(2)$ Å
7.805(100), 7.410(14), 3.904(22), 3.852(21),
3.250(33), 2.952(13), 2.165(30), 2.160(12)
Type material is deposited in the collections of
the Museu de Geociências, Instituto de
Geociências, Universidade de São Paulo, Rua do
Lago, 562, 05508-080 - São Paulo, SP, Brazil,
specimen number DR982
How to cite: Andrade, M.B., Atencio, D. and
Menezes Filho, L.A.D. (2015) Melcherite, IMA
2015-018. CNMNC Newsletter No. 25, June
2015, page 535; *Mineralogical Magazine*, **79**,
529–535.

**NOMENCLATURE PROPOSALS APPROVED
IN MAY 2015****IMA 15-F: Baumhauerite-2a**

Proposal 15-F is accepted, and “baumhauerite-2a”
is renamed “argentobaumhauerite”.

IMA 15-G: Wernerbaurite and schindlerite

Proposal 15-G is accepted: wernerbaurite and
schindlerite do not contain significant hydroxyl-
ium, but must be considered as ammonium-
bearing decavanadate minerals. The simplified
formula of wernerbaurite is
 $\{(NH_4)_2[Ca_2(H_2O)_{14}](H_2O)_2\}\{V_{10}O_{28}\}$, and the
simplified formula of schindlerite is
 $\{(NH_4)_4Na_2(H_2O)_{10}\}\{V_{10}O_{28}\}$.