

This is an Accepted Manuscript for the Microscopy and Microanalysis 2020 Proceedings. This version may be subject to change during the production process.

DOI: 10.1017/S143192762002108X

894 – Synthesis of Gold Nanorods for Application in Photothermal Therapy

Jorge Iriqui¹, Pedro-A. Hernandez-A.², Hiram Higuera-V.³, Nadia. Garcia-F.⁴, Eleazar León⁵ and M.E. Álvarez-Ramos⁴

¹Universidad Estatal de Sonora, Hermosillo, Sonora, Mexico, ²Universidad Estatal de Sonora, Universidad de Sonora, Hermosillo, Sonora, Mexico, ³Universidad Estatal de Sonora., Hermosillo, Sonora, Mexico, ⁴Universidad de Sonora, Hermosillo, Sonora, Mexico, ⁵UES, hermosillo, Sonora, Mexico

In this work, gold nanorods were prepared and characterized for his potential application in photothermic therapy. Localized thermotherapy photo meets the foundation of traditional thermotherapy with the difference that photothermal heating only occurs in the area directly around certain nanoparticles such as gold nanorods, these nanosystems are capable of generating heat by being irradiated by a laser in the near infrared range of the electromagnetic spectrum, ensuring that local temperatures can rise to tens of degrees above the physiological temperature. The use of nanostructures implies that photothermal heating can be more directed at tumors, potentially reducing the negative side effects of cancer therapies.

Synthesis of these gold nanorods was performed following the seed- mediated method. The seed solution was prepared mixing 10 ml of 200 mM CTAB ($C_{19}H_{42}BrN$) solution with 10 ml of 0.5 mM $HAuCl_4$. Next, a solution 10 mM of $NaBH_4$ was added to the gold seed solution. A growth solution was prepared by pouring 10 ml of 200 mM CTAB solution into 0.30 ml of 4 mM $AgNO_3$ solution at room temperature. Then 10 ml of 1 mM of $HAuCl_4$ was poured into this solution, and after gentle mixing, 0.14 ml of 80 mM ascorbic acid ($C_6H_8O_6$) was added. Finally, 0.024 ml of the seed solution was added to the growth solution at room temperature and left for 1 h to react. (1)

Scanning electron microscopy was performed with a JEOL JSM-7800F. Figure 1 shows the microscopy of a sample. The presence of rods approximately 50 nm long can be observed, with high homogeneity in size. A clear separation between rods is observed, indicating the absence of agglomeration.

The heating tests were carried out by irradiating the samples with an 808 nm diode laser (Changchun New Industries Optoelectronics Tech Co. LTD, Model No. PSU-111-LED), which was placed at a distance of 1.8 m from the sample at different powers (1 W, 1.5 W and 2 W.) and with a thermometer the temperature change in the solution was measured. Figure 2 show the graph of temperature vs time difference of gold nano rods irradiated at different laser powers at a wavelength of 808 nm, where we can see that the greater the intensity the greater the difference in temperature produced.




Figure 1. Figure 1. Scanning electron microscopy of gold nanorods




Figure 2. Figure 2. Heating tests for gold nanorods samples, irradiated with an 808 nm diode laser.

References

1. Esquivel, R., Canale, I., Ramirez, M., et al. (2017). Poly(N-isopropylacrylamide)-coated gold nanorods mediated by thiolated chitosan layer: thermo-pH responsiveness and optical properties. *e-Polymers*, 18(2), pp. 163-174.