S794 e-Poster Viewing

**Introduction:** Burnout is a widespread problem with far-reaching implications for mental health. Recent studies on working conditions in Morocco have drawn attention to the increasing prevalence of psychosocial hazards, notably stress and burnout, in various professions. The emergence of burnout is mainly determined by the intricate interplay of organizational, environmental, and individual factors. In education, the teaching profession is susceptible to various burnout symptoms. Educators can mitigate this syndrome by maintaining a positive outlook driven by a strong sense of self-efficacy.

**Objectives:** This study investigated the correlation between academic burnout syndrome and personal resources, specifically a sense of efficacy.

**Methods:** A cross-sectional survey of 160 Moroccan trainee teachers, with an average age of 27.94±5.44 years, was conducted. Data were collected through a self-administered questionnaire that included the Maslach Burnout Inventory-Student Survey (MBI-SS) and Teachers' Sense of Efficacy Scale (TSES). The MBI-SS evaluated academic burnout across three dimensions: emotional exhaustion, cynicism, and academic efficacy, whereas the TSES examined efficacy for classroom management, student engagement, and instructional strategies. The questionnaires were translated into Arabic and validated for use in the Moroccan context.

Results: The findings revealed a moderate and statistically significant correlation between efficacy for classroom management and the two components of efficacy related to instructional strategies (r=0.32; p<0.001) and student engagement (r=0.49; p<0.001). Additionally, a significant and positive correlation was observed between instructional strategies' efficacy and the efficacy for student engagement (r=0.23; p<0.01). A moderate and significant correlation was found between emotional exhaustion and cynicism (r=0.45; p<0.001), whereas academic efficacy and cynicism were negatively and significantly correlated (r=-0.13; p<0.05). It is worth noting that the key component of academic burnout, "emotional exhaustion," was significantly related to academic efficacy (r=-0.58; p<0.001). Additionally, Pearson's correlation test demonstrated a positive and statistically significant correlation between emotional exhaustion and efficacy for student engagement (r=0.14; p<0.05). Furthermore, the correlation between academic burnout and selfefficacy showed a negative and statistically significant association (r=-0.13; p<0.05).

**Conclusions:** Trainee teachers face a range of stressors that affect their well-being. By focusing on personal traits, well-being can be improved and burnout mitigated. This study highlights the key role of self-efficacy as a critical resource in preventing academic burnout, particularly among teachers at the start of their careers.

Disclosure of Interest: None Declared

## **EPV1079**

Training on Addressing Patients' Values (including Spirituality and Worldview) in Decision Making

A. L. H. Peh<sup>1</sup>\*, D. C. L. Teo<sup>1</sup>, E. K. Ong<sup>2</sup> and M. S. Q. Tan<sup>1</sup>

<sup>1</sup>Psychological Medicine, Changi General Hospital and <sup>2</sup>Palliative Care, National Cancer Centre Singapore, Singapore, Singapore \*Corresponding author.

doi: 10.1192/j.eurpsy.2024.1654

**Introduction:** Patients' values are relevant in patient-centred care (PCC) as awareness and recognition of these can lead to better decision making and improved outcomes. Training in decision making is sorely lacking, especially in the area of spirituality and worldview.

**Objectives:** Our poster describes a training workshop to provide such medical education to healthcare professionals. The half-day training covers: importance of addressing patients' values in decision making; using decisional aids; role of spirituality and world-view of the patient.

**Methods:** Clinicians of the hospital, including doctors, nurses and allied healthcare professionals were invited to attend the training. The evaluations by the participants for the workshops conducted in 2021-2023 were collated and presented.

**Results:** Four workshops in 2021 to 2023 were conducted, with a total of 43 participants. We achieved overall ratings of above average and excellent in more than 80% of responses; content relevance and usefulness to work, presentation and facilitation were similarly rated. Most participants would recommend it to colleagues.

**Conclusions:** The "Addressing Patients' Values in Decision Making" workshop for clinicians will allow the hospital to promulgate a culture of quality care through patient engagement.

Disclosure of Interest: None Declared

## **EPV1081**

"Thoroughly out of my depth - A quality improvement project to improve junior clinician's confidence in undertaking adult ADHD clinic appointments

B. Marron<sup>1</sup> and L. McKeown<sup>1</sup>\*

<sup>1</sup>NHS Argyll & Bute, Lochgilphead, United Kingdom \*Corresponding author. doi: 10.1192/j.eurpsy.2024.1655

**Introduction:** There has been a 1000% increase in referrals for assessment of adult ADHD within Scotland over the past three years (The Scottish Government. 2023. *NAIT adult Neurodevelopmental Pathways Report*). These referrals are sent by general practitioners to the local community mental health team. The most junior clinicians (doctors who are pre-membership with the Royal College of Psychiatrists) in the team are often responsible for undertaking the initial assessment of these patients. Patients have on average waited almost a year to be seen and expectations are high.

**Objectives:** The diagnosis of ADHD can be challenging, and adult ADHD is still a relatively new and evolving diagnostic entity. We set out to explore how junior clinicians were coping with this in their daily practice.

**Methods:** We developed a questionnaire that was sent to all junior clinicians working within Argyll & Bute (n=8) via an anonymised email link. The link was open for 1 week and then results were analysed.

**Results:** The response rate to our survey was 87.5%. Prior to starting their current roles none of the respondents had ever undertaken an ADHD assessment before. All respondents answered "No" when asked if they felt they had adequate