

PARASITOLOGY

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITORS

F. E. G. COX and C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (*Chairman*)

R. ANDERSON, F.R.S.

J. R. BAKER

D. C. BARKER

J. BARRETT

D. A. P. BUNDY

A. E. BUTTERWORTH

ELIZABETH U. CANNING

L. H. CHAPPELL*

D. W. T. CROMPTON

D. I. GIBSON

R. E. HOWELLS

C. R. KENNEDY

A. E. KEYMER

ANN M. LACKIE

D. L. LEE

D. J. McLAREN

D. P. McMANUS

D. H. MOLYNEUX

BRIDGET M. OGILVIE

D. ROLLINSON

M. ELAINE ROSE

S. R. SMITHERS

V. R. SOUTHGATE*

R. C. TINSLEY

K. VICKERMAN

F.R.S.

D. WAKELIN


H. H. WILLIAMS

R. A. WILSON

P. J. WHITFIELD

* Representing the British Society for Parasitology.

VOLUME 97, 1988



CAMBRIDGE UNIVERSITY PRESS

Cambridge

New York New Rochelle Melbourne Sydney

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1988

Printed in Great Britain by the
University Press, Cambridge

CONTENTS

(All rights reserved)

PART I AUGUST 1988

	PAGE
COUVREUR, G., SADAK, A., FORTIER, B. and DUBREMETZ, J. F. Surface antigens of <i>Toxoplasma gondii</i>	1
MOUNTFORD, A. P., COULSON, P. S. and WILSON, R. A. Antigen localization and the induction of resistance in mice vaccinated with irradiated cercariae of <i>Schistosoma mansoni</i>	11
AMBROSE, N. C. and RILEY J. Light microscope observations of granulomatous reactions against developing <i>Porocephalus crotali</i> (Pentastomida: Porocephalida) in mouse and rat	27
GARDNER, R. A. and MOLYNEUX, D. H. <i>Schizotrypanum</i> in British bats	43
WHITELAW, D. D., GARDINER, P. R. and MURRAY, M. Extravascular foci of <i>Trypanosoma vivax</i> in goats: the central nervous system and aqueous humor of the eye as potential sources of relapse infections after chemotherapy	51
GIBSON, W. C., DUKES, P. and GASHUMBA, J. K. Species-specific DNA probes for the identification of African trypanosomes in tsetse flies	63
ROTHSTEIN, N., STOLLER, T. J. and RAJAN, T. V. DNA base composition of filarial nematodes	75
DAVENPORT, T. R. B., LEE, D. L. and ISAAC, R. E. Immunocytochemical demonstration of a neuropeptide in <i>Ascaris suum</i> (Nematoda) using an antiserum to FMRFamide	81
WATSON, H., LEE, D. L. and HUDSON, P. J. Primary and secondary infections of the domestic chicken with <i>Trichostrongylus tenuis</i> (Nematoda), a parasite of red grouse, with observations on the effect on the caecal mucosa	89
SCOTT, MARILYN E. Predisposition of mice to <i>Heligmosomoides polygyrus</i> and <i>Aspiculuris tetraptera</i> (Nematoda)	101
JACKSON, HELEN C. and TINSLEY, R. C. Environmental influences on egg production by the monogenean <i>Protopolystoma xenopodis</i>	115
SHIWAKU, K., CHIGUSA, Y., KADOSAKA T. and KANEKO, K. Factors influencing development of free-living generations of <i>Strongyloides stercoralis</i>	129
RENAUD, F. and GABRION, C. Speciation of cestoda. Evidence for two sibling species in the complex <i>Bothrimonus nylandicus</i> (Schneider 1902) (Cestoda: Cyathocephalidea)	139
GOMEZ-BAUTISTA M. and BARRETT, J. Cysteine metabolism in the cestode <i>Hymenolepis diminuta</i>	149
RISHI, A. K. and McMANUS, D. P. Molecular cloning of <i>Taenia solium</i> genomic DNA and characterization of taeniid cestodes by DNA analysis	161

LAWSON, J. R., ROBERTS, M. G., GEMMELL, M. A. and BEST, S. J. Population dynamics in echinococcosis and cysticercosis: economic assessment of control strategies for <i>Echinococcus granulosus</i> , <i>Taenia ovis</i> and <i>T. hydatigena</i>	177
<i>Trends and Perspectives</i>	
ROGERS, D. J. A general model for the African trypanosomiases	193

PART 2 OCTOBER 1988

HIGGS, S. and NOWELL, F. Laboratory studies with clones of <i>Eimeria hungaryensis</i> , a parasite of the wood mouse <i>Apodemus sylvaticus</i>	213
ROWLAND, M. and BOERSMA, ERICA. Changes in the spontaneous flight activity of the mosquito <i>Anopheles stephensi</i> by parasitization with the rodent malaria <i>Plasmodium yoelii</i>	221
WEI-DONG XIE. Propagation of <i>Cystosporogenes operophtera</i> (Microspora), a microsporidian parasite of the winter moth, <i>Operophtera brumata</i> , in a <i>Spodoptera frugiperda</i> cell line	229
OCHANDA, H., YOUNG, A. S., MUTUGI, J. J., MUMO, J. and OMWOYO, P. L. The effect of temperature on the rate of transmission of <i>Theileria parva parva</i> infection to cattle by its tick vector, <i>Rhipicephalus appendiculatus</i>	239
LASTRE, MIRIAM, CESBRON, J. Y., PEREZ, O., HENRY, D. OUAISSI, A., DISSOUS, C. and CAPRON, A. <i>Brugia malayi</i> microfilariae share epitopes with <i>Aedes aegypti</i>	247
VELGE, P., OUAISSI, M. A., CORNETTE, J., AFCHAIN, D. and CAPRON, A. Identification and isolation of <i>Trypanosoma cruzi</i> trypomastigote collagen-binding proteins: possible role in cell-parasite interaction	255
TURNER, C. M. R., BARRY, J. D., MAUDLIN, I. and VICKERMAN, K. An estimate of the size of the metacyclic variable antigen repertoire of <i>Trypanosoma brucei rhodensiense</i>	269
PRAIN, C. J. and ROSS, C. A. <i>Trypanosoma congolense</i> : interactions between trypanosomes expressing different metacyclic variable antigen types <i>in vitro</i> and <i>in vivo</i>	277
MCLAREN, DIANE J. and SMITHERS, S. R. Serum from CBA/Ca mice vaccinated with irradiated cercariae of <i>Schistosoma mansoni</i> protects naive recipients through the recruitment of cutaneous effector cells	287
FULFORD, A. J. C. and YEANG, F. Analysis of worm burdens in experimental schistosomiasis	303
WHARTON, D. A., PRESTON, C. M., BARRETT, J. and PERRY, R. N. Changes in cuticular permeability associated with recovery from anhydrobiosis in the plant parasitic nematode, <i>Ditylenchus dipsaci</i>	317
LASSIERE, OLIVIA L. Host-parasite relationships between larval <i>Sialis lutaria</i> (Megaloptera) and <i>Neoechinorhynchus rutili</i> (Acanthocephala)	331
LASSIERE, OLIVIA L. and CROMPTON D. W. T. Evidence for post-cyclic transmission in the life-history of <i>Neoechinorhynchus rutili</i> (Acanthocephala)	339
SANCHEZ-MORENO, M., MONTEOLIVA, M., FATOU, A. and GARCÍA-RUIZ, M. A. Superoxide dismutase from <i>Ascaris suum</i>	345

Trends and Perspectives

BARRETT, J. The application of control analysis to helminth pathways . . . 355

PART 3 DECEMBER 1988

ROSSIGNOL, P. A. and ROSSIGNOL, A. MACKAY. Simulations of enhanced malaria transmission and host bias induced by modified vector blood location behaviour 363

HOLDER, A. A., LOCKYER, M. J. and HARDY, G. W. A hybrid gene to express protein epitopes from both sporozoite and merozoite surface antigens of *Plasmodium falciparum* 373

VOS, G. J., MOLOO, S. K., NELSON, R. T. and GARDINER, P. R. Attempts to protect goats against challenge with *Trypanosoma vivax* by initiation of primary infections with large numbers of metacyclic trypanosomes 383

CHERNIN, J., MCLAREN, DIANE J., MORINAN, A. and JAMIESON, B. N. *Mesocostoides corti*: parameters of infection in CBA/Ca mice and the effect of introducing a concomitant trematode infection 393

AGNEW, A. M., LUCAS, S. B. and DOENHOFF, M. J. The host-parasite relationship of *Schistosoma haematobium* in CBA mice 403

ROBERTS, SHIRLEY M., BOOT, C. and WILSON, R. A. Antibody responses of rodents to a tegument membrane preparation from adult *Schistosoma mansoni* 425

TINSLEY, R. C. and JACKSON, HELEN C. Pulsed transmission of *Pseudodiplorchis americanus* (Monogenea) between desert hosts (*Scaphiopus couchii*) 437

SCOTT, MARILYN E. Effect of repeated anthelmintic treatment on ability to detect predisposition of mice to *Heligmosomoides polygyrus* and *Aspiculuris tetraptera* (Nematoda) infections 453

WHARTON, D. A. and BONE, L. W. The formation of the first-stage cuticle within the egg of *Trichostrongylus colubriformis*. 459

BUNDY, D. A. P., COOPER, E. S., THOMPSON, D. E., DIDIER, J. M. and SIMMONS, I. Effect of age and initial infection on the rate of reinfection with *Trichuris trichiura* after treatment 469

JOSHUA, G. W. P., HARRISON, L. J. S. and SEWELL M. M. H. Excreted/secreted products of developing *Taenia saginata* metacestodes 477

Trends and Perspectives

CHANDIWANA, S. K. Use of ⁷⁵Se tracer and autoradiographic techniques in the study of schistosomiasis 489

BOOK REVIEWS 503

PARASITOLOGY

BACK VOLUMES. Vols. 1–71: Inquiries should be addressed to Wm. Dawson & Sons Ltd. Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

COPYING. This journal is registered with the Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031–1820/88 \$5.00 + .00.

ISI TEAR SHEET SERVICE, 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

FOR ALL OTHER USE, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

CLAIMS for missing issues can only be considered if made immediately after receipt of the subsequent issue.

ADVERTISING. Details of advertising in *Parasitology* may be obtained from the publisher.

PARASITOLOGY

Volume 97, Part 3, December 1988

CONTENTS

	PAGE
ROSSIGNOL, P. A. and ROSSIGNOL, A. MACKAY. Simulations of enhanced malaria transmission and host bias induced by modified vector blood location behaviour	363
HOLDER, A. A., LOCKYER, M. J. and HARDY, G. W. A hybrid gene to express protein epitopes from both sporozoite and merozoite surface antigens of <i>Plasmodium falciparum</i>	373
VOS, G. J., MOLOO, S. K., NELSON, R. T. and GARDINER, P. R. Attempts to protect goats against challenge with <i>Trypanosoma vivax</i> by initiation of primary infections with large numbers of metacyclic trypanosomes	383
CHERNIN, J., McLAREN, DIANE J., MORINAN, A. and JAMIESON, B. N. <i>Mesocestoides corti</i> : parameters of infection in CBA/Ca mice and the effect of introducing a concomitant trematode infection	393
AGNEW, A. M., LUCAS, S. B. and DOENHOFF, M. J. The host-parasite relationship of <i>Schistosoma haematobium</i> in CBA mice	403
ROBERTS, SHIRLEY M., BOOT, C. and WILSON, R. A. Antibody responses of rodents to a tegument membrane preparation from adult <i>Schistosoma mansoni</i>	425
TINSLEY, R. C. and JACKSON, HELEN C. Pulsed transmission of <i>Pseudodiploorchis americanus</i> (Monogenea) between desert hosts (<i>Scaphiopus couchii</i>)	437
SCOTT, MARILYN E. Effect of repeated anthelmintic treatment on ability to detect predisposition of mice to <i>Heligmosomoides polygyrus</i> and <i>Aspicularis tetraptera</i> (Nematoda) infections	453
WHARTON, D. A. and BONE, L. W. The formation of the first-stage cuticle within the egg of <i>Trichostrongylus colubriformis</i>	459
BUNDY, D. A. P., COOPER, E. S., THOMPSON, D. E., DIDIER, J. M. and SIMMONS, I. Effect of age and initial infection intensity on the rate of reinfection with <i>Trichuris trichiura</i> after treatment	469
JOSHUA, G. W. P., HARRISON, L. J. S. and SEWELL, M. M. H. Excreted/secreted products of developing <i>Taenia saginata</i> metacestodes	477
<i>Trends and Perspectives</i>	
CHANDIWANA, S. K. Use of ⁷⁵ Se tracer and autoradiographic techniques in the study of schistosomiasis	489
BOOK REVIEWS	503

© Cambridge University Press 1988

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge