

THE  
GEOLOGICAL MAGAZINE.

VOL. LVIII OF WHOLE SERIES.

JANUARY—DECEMBER, 1921.

THE  
GEOLOGICAL MAGAZINE

OR  
Monthly Journal of Geology.

WITH WHICH IS INCORPORATED  
THE GEOLOGIST.

FOUNDED IN 1864 BY THE LATE DR. HENRY WOODWARD, F.R.S.

EDITED BY  
R. H. RASTALL, Sc.D., M.Inst.M.M.,  
UNIVERSITY LECTURER IN ECONOMIC GEOLOGY, CAMBRIDGE.

ASSISTED BY  
PROFESSOR J. W. GREGORY, D.Sc., F.R.S.  
F. H. HATCH, Ph.D., M.Inst.M.M.  
PROFESSOR J. E. MARR, Sc.D., F.R.S.  
SIR JETHRO J. H. TEALL, Sc.D., LL.D., F.R.S.  
PROFESSOR W. W. WATTS, Sc.D., LL.D., M.Sc., F.R.S.  
HENRY WOODS, M.A., F.R.S.  
ARTHUR SMITH WOODWARD, LL.D., F.R.S.

VOL. LVIII OF WHOLE SERIES.  
JANUARY—DECEMBER, 1921.

LONDON:  
DULAU & CO., LTD., 34-36 MARGARET STREET,  
CAVENDISH SQUARE, W.1.

1921.

STEPHEN AUSTIN AND SONS, LTD.  
PRINTERS, HERTFORD

## LIST OF PLATES.

| PLATE  | FACING PAGE |
|--|-------------|
| I. Map of the Oil Region, Northern Punjab . . . . .  | 8           |
| II. FIG. a.—Channel in Carboniferous Limestone, filled with sandstones and shales, the whole overlain by Trias . . . . .                   | 157         |
| FIG. b.—Carboniferous Limestone irregularly eroded and overlain by sandstone and shales, now with a thin later covering of Trias . . . . . | 157         |
| III. FIG. 1.—Biotite developed in Garnet . . . . .   | 258         |
| FIG. 2.—The action of mechanical force operating during the foliation and recrystallization of the rock . . . . .                          | 258         |
| IV. FIG. 1.—Blue Nodular Chert, Nimble Jack, Via Gellia . . . . .  | 278         |
| FIG. 2.—Black Nodular Chert, Nutseats Quarry, near Haddon Hall . . . . .   | 278         |
| FIG. 3.—Black Nodular Chert, Klondyke Quarry, Crich . . . . .  | 278         |
| FIG. 4.—Magmatic Chert, Pretoria Mine, Bakewell . . . . .  | 278         |
| V. John M. Clarke . . . . .  | 292         |
| VI. Sketch-map of China, showing its tectonic outlines . . . . .   | 329         |
| VII. <i>Conulopyrina anomala</i> , gen. et sp. nov. . . . .  | 426         |
| VIII. Photomicrographs—Dolerite of the Wackerfield Dyke . . . . .  | 454         |
| IX. Foraminifera, Hartwell Clay, Rucks . . . . .   | 473         |
| X. Molar of Mammoth, N. Wodehester, near Stroud . . . . .  | 505         |
| XI. <i>Epiaster smellii</i> , n.sp. . . . .  | 537         |
| XII. Surface of block of Calcareous Lower Magnesian Limestone, Durham . . . . .  | 543         |

## LIST OF ILLUSTRATIONS IN THE TEXT.

|  | PAGE     |
|--|----------|
| Sketch-map showing outcrop of oil-bearing strata, Northern Punjab . . . . .  | 4        |
| Showing in-dipping of Kuldana beds under limestone ridges . . . . .  | 8        |
| Section of rocks surrounding main oil-springs north of Golra . . . . .   | 9        |
| Section through oil-spring near the Mosque Dheri Shah . . . . .  | 10       |
| Section showing Upper Nummulitic, by road to Murree . . . . .  | 15       |
| Fig. 6a.—Section across the Oil Anticline of the Sil and Basala confluence . . . . .   | 18       |
| Fig. 6b.—Section across oil-bearing beds at the confluence of Sil River and Basala River . . . . .                           | 18       |
| Lundegar Hill, showing occurrence of Rock-Tar . . . . .  | 19       |
| Sandstone and Sandy Clays superficially impregnated with Bitumen . . . . .   | 20       |
| Diagram of Percentage Output of Copper . . . . .   | 34       |
| Geological Map of the British Isles . . . . .  | 43       |
| Restoration of the skull of <i>Eugyrinus wildi</i> . . . . .   | 71       |
| Oil Region of Jaba . . . . .   | 75       |
| Four sections, showing oil springs in Nummulitic Limestone . . . . .   | 76       |
| Nummulitic limestone overlying sandstone formation . . . . .   | 78       |
| Nummulitic limestone near Lheri Saidan . . . . .   | 78       |
| Nummulitic limestone near Kallar Kahar . . . . .   | 79       |
| Diagrammatic representation of three cycles of sedimentation . . . . .   | 110      |
| Type of sedimentation around a contemporaneous object . . . . .  | 116      |
| Diffusion of silver nitrate in an unequally stressed gel. . . . .  | 122      |
| Liesegang rhythms . . . . .  | 123      |
| Shaped course of anticlines, Chamba Ferry . . . . .  | 127, 129 |
| Cycles of sedimentation—Paris Basin . . . . .  | 147      |
| Cycles of sedimentation—Hampshire Basin . . . . .  | 153      |
| Diagrammatic sketch of a " pipe " in Carboniferous Limestone . . . . .   | 160      |
| Diagrammatic sketch of a cavity in Carboniferous Limestone . . . . .   | 162      |
| Junction of Peldar Tor porphyroid ( <i>c</i> ) and dolerite dyke ( <i>b</i> ) . . . . .                                      | 173      |
| Diagrammatic plan of quarry floor showing laminated marginal sheets Peldar Tor Quarry, showing marginal lamination . . . . . | 174      |
| " Track-chart," Glaciation of Ireland . . . . .  | 175      |
| Cycle of sedimentation—London and Belgian Basins . . . . .   | 190      |
| Cycle of sedimentation—London and Belgian Basins . . . . .   | 196      |
| Map of district of volcano of Dereiba . . . . .  | 207      |
| Tertiary Gravels of Western Buchan. . . . .  | 216      |
| The Buchan Ridge . . . . .   | 222      |
| Section along the shore at Sleaford Bay . . . . .  | 251      |
| Sillimanite forming border to spinel grain . . . . .   | 255      |
| Hercynite forming deep-green core to garnet grain . . . . .  | 257      |
| Chert-nodules in shaly, laminated limestone . . . . .  | 268      |
| Chert-nodule, Lovers' Walk, Matlock Bath . . . . .   | 268      |
| Garnet gneiss, Sleaford Bay . . . . .  | 308      |
| Orographic map of Northern Sinai. . . . .  | 340      |
| Geological map of the Maghara range and neighbourhood . . . . .  | 343      |
| Ambulacral plates of various Palæozoic Echinoids . . . . .   | 359      |

|   | PAGE     |
|---|----------|
| Diagram illustrating the types of relationship that morphological graphs of organisms may have to one another . . . . . | 361      |
| Graphic representation of differences between several genera of Palæozoic Echinoids . . . . .                           | 362      |
| Diagrammatic section of <i>Dibunophyllum</i> . . . . .  | 397      |
| Portions of sections of mutations K, $\gamma$ , $\delta$ from gens <i>Caninia cylindrica</i>                            | 398      |
| Diagrams of some stages in serial reduction of the fossulæ in Carboniferous Corals . . . . .                            | 399      |
| Section of <i>Zaphrentis delanouei</i> . . . . .  | 400      |
| Graphs representing stages in the development of <i>Caninia cornucopiae</i> .   | 401      |
| Graphs representing stages in the evolution of <i>Zaphrentis delanouei</i> .  | 402      |
| Graphs representing the mutations of the gens <i>Caninia cylindrica</i> .   | 405      |
| Graphic representation of average silica percentage of a number of ignecus rocks . . . . .                              | 437, 438 |
| Sketch-map of the Wackerfield Dyke . . . . .  | 442      |
| Section from southern margin of dyke to middle of face . . . . .  | 443      |
| Map of country north of Wackerfield . . . . .   | 445      |
| Sketch section to show relation of zones to granite surface . . . . .   | 507      |
| Sketch section from Crowan Beacon to Gwinear. . . . .   | 510      |
| Sketch section from Crowan Beacon to Gwithian . . . . .   | 510      |
| Sketch section from Nine Maidens to Portreath . . . . .   | 510      |
| Part of one of the paired ambulacral areas of <i>E. smellii</i> . . . . .   | 533      |
| Arrangement of tubercles . . . . .  | 534      |
| Outlines of profiles of three other types of <i>E. smellii</i> . . . . .  | 535      |
| Diagrammatic sketch of section in East Thickley Quarry, S. Durham.  | 539      |
| Sketch of specimen of <i>Productus horridus</i> Sow. . . . .  | 541      |
| Diagram illustrating paper on eruption of rocks . . . . .   | 551      |